State of Utah-DFCM Division of Parks and Recreation New Roof for the Edge of the Cedars Museum Blanding, Utah

DFCM Contract Number: N/A

(801) 519-2111

05091510 Project Number:




Harold P. Woodruff Architect\Planner 223 East 800 South Salt Lake City, Utah 84111 Phone: 801-355-8684 Fax: 801-359-3780

## **CONSULTANTS:**

Structural Engineer:
George H. Hansen, Inc.
254 East First South
Salt Lake City, Utah 84111
Phone: 801-519-2111

Mechanical Engineer: Spectrum 175 South Main Street, Suite 300 Salt Lake City, Utah 84111 Phone: 801-328-5151

Electrical Engineer:
Thomas and Kolkman Engineering
64 West 1700 South
Salt Lake City, Utah 84115
Phone: 801-484-8161



PROJECT TITLE:

New Roof for the Edge of Cedars Museum Blanding, Utah

OWNER:

# State of Utah-DFCM Division of Parks

# and Recreation Blanding, Utah

MARK	DATE	DESCRIPTION		
ISSUE TYPE: CONSTRUCTION DOCS.				

#### ISSUE DATE: FEBRUARY 2, 2006

DFCM PROJECT NO:	05091510
CONTRACT NO:	N/A
CAD PROJECT NO:	N/A
CAD DWG FILE:	N/A
ARCH PROJECT FILE:	0507.pj\0507cvr.db
DRAWN BY:	D.D.
CHK'D BY:	D.D.
COPYRIGHT:	State of Utah
SHEET TITLE	

### TITLE SHEET

SHEET NUMBER


G-001

State of Utah-Department of Administrative Services

# DIVISION OF FACILITIES CONSTRUCTION AND MANAGEMENT

		4110 State	Office Building / Salt Lake City, utah 84114 / 538-3018		
General Notes			Location Plan		
A. ALL WORK TO BE DONE ACCORDING TO T 2003 EDITION, AND THE FOLLOWING CODE 1. INTERNATIONAL MECHANICAL CODE: 2003.  3. INTERNATIONAL PLUMBING CODE: 204. INTERNATIONAL FIRE CODE: 2003 E 5. INTERNATIONAL FUEL GAS CODE: 20	: 2003 EDITION. 2 EDITION. 203 EDITION. EDITION.			NORTH  SALT SALT LAKE  NORTH  SOUNDRITH  SOU	
OR ELECTRICAL CONDUIT, THE CONTRACTO	ALLS TO MATCH EXISTING FINISH AND PAINT ENTIRE		APPROVALS:	BLANDING, UTAH  SALT LAKE LAKE POCITY  BLANDING, UTAH  SOUTH	
C. ALL COLORS ARE TO BE REVIEWED WITH SAMPLE OF PREFINISHED METAL COLORS  D. CONTRACTOR NOTE: ALL EXISTING CONC IMPROVEMENTS INDICATED TO REMAIN AF	THE OWNER/ARCHITECT PRIOR TO ORDERING. SUBMIT		User Agency Date	VERNAL  AMERICAN FORK  UTAH  LAKE  PROVO  HWY 40  Soo South  Soo South	
HIS EXPENSE.  E. ALL DISCONNECTION AND RECONNECTION BE DONE BY SUBCONTRACTORS LICENSE TO BIDDING).  F. BUILDING IS PRESENTLY OCCUPIED AND W	N OF MECHANICAL UNITS FOR GAS, WATER, POWER, ETC. TO ED IN THEIR TRADE. (CONTRACTOR TO FEILD VERIFY PRIOR VILL REMAIN OCCUPIED DURING THE COMPLETION OF THIS	DFCM DESIGN AND CODE CRITERIA  (Fee A/E: Attach and fill in applicable data for each drawing submittat) International Building Code	DFCM Roofing Consultant  Date  DFCM Managing Coordinator for Design and Consulting  Date	PRICE NORTH	
CONTRACT. CONTRACTOR SHALL BE RE WITH: ANDREW GOODWIN, 1-435-678-2238  G. ALL CONDUITS, PIPING OR DUCTWORK PEN H. ROOF SYSTEM TO BE UNDERWRITERS LA FIRE EXPOSURE.  J. ASBESTOS CONTAINING MATERIALS, IF A CONTRACTOR SUSPECTS FINDING HAZAR	EQUIRED TO COORDINATE WORK AND TIMES OF ACCESS.  NETRATING RATED WALLS OR FLOORS TO BE FIRE SEALED.  NBORATORIES INC. (UL) FOR CLASS "A" EXTERNAL  ANY HAZARDOUS MATERIALS ARE FOUND OR IF THE GENERAL  RDOUS MATERIALS DURING HIS WORK, STOP ALL WORK	Applicable Codes:  International Building Code International Building Code Planning & Design Criteria to Prevent Architectural Barriers for the Aged and Uniform Energy Code the Physically Handicapped  A. Occupancy and Group a:  Change in Use b: Yes NoX Mixed Occupancy b: Yes No	APPROVAL DOES NOT RELIEVE A/E OF DESIGN LIABILITY	PROJECT LOCATION  PROJECT LOCATION  EDGE OF THE CEDARS MUSEUM- 660 WEST 400 NORTH BLANDING, UTAH  BLANDING, UTAH	à
ABATEMENT CONSULTANTS TO COME IN NO WORK SHOULD CONTINUE UNTIL THE ABE CLEAN OF HAZARDOUS MATERIALS.  K. ALL PIPING THRU CONCRETE BLOCK WALL	OR SHALL CALL DFCM WHO IN TURN WILL CONTACT THE I AND SAMPLE THE MATERIALS FOR INDENTIFICATION. ABATEMENT CONSULTANT HAS CERTIFIED THE AREA TO  LS AND CONCRETE FLOORS TO BE FIRE SEALED ENETRATIONS THRU NON-RATED WALLS TO BE SEALED	B. Type of Construction (Circle):		MONTICELLO BLANDING CEDAR CITY	-
		b. Basic allowable aread:  c. Allowable Area Increase due to side yards: N  E  W  S	DFCM PRE-BID STAFF REVIEW	ST. GEORGE  HWY 95  HWY 95	
Consultants		d. Side yard area increase (ft <sup>2</sup> ):	Division of Facilities Construction and Management	Index to Drawings	
MECHANICAL ENGINEER:  SPECTRUM  175 South Main Street, Suite 300  Salt Lake City, Utah 84111  (801) 328-5151	ELECTRICAL ENGINEER: THOMAS AND KOLKMAN ENGINEERING 64 West 1700 South Salt Lake City, Utah 84115 (801) 484-8161	E. Fire-Resistive Requirements C.e. & g (Hrs.): (1 Hr., 2Hr., 3Hr., 4HR., N.H.T.)  Exterior Bearing Walls: Floors - Ceiling Floors   Structural Frame: Structural Frame: Structural Frame: Shaft Enclosures   Shaft Enclosures   Partitions- Permanent:	Architectural (staff)  Date  HVAC  Date  Plumbing  Date  Handicapped  Date  Program  Date  Electrical  Date  Landscaping  Date	G-001 TITLE SHEET G-002 SITE/STAGING PLAN ARCHITECTURAL DRAWINGS A-101 ROOF PLAN A-501 DETAILS PLUMBING/MECHANICAL DRAWINGS	
STRUCTURAL ENGINEER:  D. GEORGE HANSEN, INC.  254 East First South  Salt Lake City, Utah 84111		Footnotes: a See IBC Section 1002, Table 1005.2.1 and Chapter 3. For Group, See Section 302.1. b See UBC Sections 301, 302, 1002 and 3405. (Ratio use for Mixed Occupancy Only. See Section 302). c See UBC Chapter 601, Table 6-A with Section 601.5 and Section 504.5. d See Section 302.3, 504.2, 504.5, and 505: Area separation walls, See Table 3-B. e See UBC Table 5-A, Sections 503, 505, 602, 603, 604, 605 and 606, Sections 605 and 606 of Chatper 6. f If the ratio > L.0 either 1) Area separation walls must be installed of 2 hour or 4 hour rating depending on the Construction Type, or 2) The Construction Type must be upgraded to permit a greater basic allowable area Note: Area separation walls must be clearly shown on the key plan in the Contract Documents.	OTHER AGENCIES  Fire Marshal  Date  Date  Date  Date	M-101 OVERALL MECHANICAL ROOF PLAN  ELECTRICAL DRAWINGS E-101 ROOF ELECTRICAL PLAN AND DETAILS	

REVIEW DOES NOT RELIEVE A/E OF DESIGN LIABILITY



#### SITE STAGING NOTES

ALL STAGING AREAS.

CONTRACTOR TO NOTIFY ANDREW GOODWIN, 1-435-678-2238. EDGE OF THE CEDARS MUSEUM, FOR APPROVAL WHEN THESE STAGING


AREAS ARE TO BE USED.
IF AREAS OF THE LAWN ARE IN THE STAGING AREA. THE CONTRACTOR WILL VERIFY THAT THE SITE IRRIGATION SPRINKLERS HAVE BEEN SHUT DOWN AND PLYWOOD SHEETING WILL BE LAID DOWN OVER THE LAWN. ALL DAMAGED SPRINKLING EQUIPMENT, DEAD OR DAMAGED LANDSCAPING WILL BE REPLACED. THE WORK AREA WILL BE SECURED BE A TEMPORARY CHAINLINK FENCE. THE CONTRACTOR WILL TAKE STEPS TO PROTECT THE BUILDING WALLS AND EXISTING TREES AND SHRUBBERY.

PROTECT AND MAINTAIN WALLS, WINDOWS, DOORS, LAWNS, VEGETATION, SIDEWALKS, DRIVEWAYS, CONDUITS, WIRES AND ALL OTHER RELATED STRUCTURES AND FIXTURES IN, ON, AROUND OR ADJACENT TO THE PROPERTY. USE DEBRIES CHUTES, CANVAS TARPS, SINGLE PLY

MEMBRANES, PLYWOOD, ETC. AS NEEDED OR REQUIRED TO PROVIDE PROTECTION.

DO NOT THROW MATERIALS FROM THE ROOF REMOVE ALL MATERIAL, RUBBISH AND DEBRIES FROM THE

ROOF AND GROUNDS AND HAUL AWAY EACH DAY. COMPLETELY REMOVE AND THOROUGHLY CLEAN ALL DIRT, DUST. AND STAINS RESULTING FROM DEMOLITION AND CONSTRUCTION FROM THE BUILDING INTERIOR, BUILDING EXTERIOR, GROUNDS AND ADJACENT PROPERTY, ETC.



Harold P. Woodruff Architect\Planner 223 East 800 South Salt Lake City, Utah 84111 Phone: 801-355-8684 Fax: 801-359-3780

Structural Engineer: George H. Hansen, Inc. 254 East First South Salt Lake City, Utah 84111 Phone: 801-519-2111

Mechanical Engineer:

Spectrum 175 South Main Street-Suite 300 Salt Lake City, Utah 84111 Phone: 801-328-5151

# Electrical Engineer: Thomas and Kolkman Engineering 64 West 1700 South Salt Lake City, Utah 84115 Phone: 801-484-8161

#### GENERAL NOTES

### THE ROOF SYSTEM IS TO BE UNDERWRITERS LABORATORIES INC. (UL) FOR CLASS "A" EXTERNAL FIRE EXPOSURE.

- THE CONTRACTOR WILL PROVIDE THE EDGE OF THE CEDARS MUSEUM WITH A WRITTEN ESTIMATED SCHEDULE OF THE REROOFING, MECHANICAL, AND ELECTRICAL WORK AT THE BEGINNING OF THE PROJECT.
- THE CONTRACTOR WILL COORDINATE WITH ANDREW GOODWII 1-435-678-2238, EDGE OF THE CEDARS MUSEUM. THE CONTRACTOR WILL PROVIDE 48 HOUR NOTIFICATION BEFORE MOVING INTO A NEW AREA OF REROOFING AND/OR OTHER WORK.
- THE CONTRACTOR WILL BE REQUIRED TO NOTIFY THE EDGE -OF THE CEDARS MUSEUM 48 HOURS IN ADVANCE OF OVERHEAD OR INTERIOR WORK. THE CONTRACTOR WILL BE REQUIRED TO COVER FINISH SURFACES, FURNITURE AND EQUIPMENT TO PROTECT THESE ITEMS.
- THE CONTRACTOR WILL HAVE A DESIGNATED SAFETY OFFICER ON SITE THAT WILL COORDINATE WITH A SAFETY OFFICER FROM THE EDGE OF THE CEDARS MUSEUM.
- EDGE OF THE CEDARS MUSEUM TO USE OTHER HOURS.
- ALL PERSONNEL MUST HAVE (2) TWO FORMS OF PICTURE I.D. AND MUST HAVE PROOF OF CITIZENSHIP OR A "GREEN CARD
- 8. THE CONTRACTOR WILL BE REQUIRED TO FURNISH A LIST OF PERSONNEL THAT WILL BE ON SITE.
- 9. NO FIREARMS OR WEAPONS WILL BE ALLOWED ON SITE.

# New Roof for the Edge of Cedars State Park Museum Blanding, Utah

# State of Utah-DFCM Division of Parks and Recreation

FEBRUARY 2, 2006 05091510 N/A N/A N/A 0505.pj\0505.db\cps.d D.D. D.D. State of Utah

## SITE/STAGING PLAN

G-002

SHEET 2 0F

